

1500m/roll 1020mm 45 Microns Cold Water PVA Release Film

Basic Information

Place of Origin: ChinaBrand Name: Ciyu

Certification: FDA,SGS, TDS
Model Number: Ciyu10001
Minimum Order Quantity: 10Rolls

• Price: US \$0.32-0.80/ Square Meter

Packaging Details: Carton+Pallet
Delivery Time: 10-15days
Payment Terms: L/C, T/T

Supply Ability: 6,000 kgs per day



Product Specification

Material: Polyvinyl Alcohol(PVA)

• Working Temperature: 170-180°C

• High Light: Cold Water Soluble Film, Water Soluble Film

Thickness: 25-45micronsLength: 500-1500m/rollUsage: Release Film

• Highlight: 1020mm Water Soluble Release Film,

45 Microns PVA Release Film, 1020mm PVA Release Film



Product Description

Durable Water Soluble Release Film , PVA Release Film 1020mm Width 25-45 Microns Thickness

PVA film is a new type of special function resin film material. The product is formed with water-soluble PVA as film substrate, adding auxiliary materials like plasticizer, soften agent, surface acting agent and dispersing agent, then finally finished thorough specific film-forming technology process.





Main Characteristics of PVA film products:

- 1. Water solubility. (Efficient water-soluble soft package material / Water-soluble liner film)
- 2. High barrier property. (Oxygen barrier; Antibacterial)

Main specification and parameters

Category	parameter	Remark
Thickness	25µm~45µm	
Width	1000mm~2000mm	
	, 5	Refer to products with 40µm thickness
Weight		Refer to products with 40µm thickness and 1200m length

Paper tube	3 inches		
Transmittance	80°~90°(%)		
Maxum temperature endurance	170ºC-180ºC		
Water soluble temperature	Normal Medium		Solution rate is in proportion to water temperature.
	High	Over 80ºC	·
Output	Delivery 7~10 days after ordered(normal standard and quantity)		





+8615380057551



daisy@ciyupolymer.com



pvawatersolublebag.com

Luoxi Town, Changzhou City, Jiangsu Province, China