

1500m Polyvinyl Alcohol Cold Water Soluble PVA Film

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 15rolls
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C,T/T
- Supply Ability:



Product Specification

- Working Temperature:
- High Light:
- Material:
- Width:
- Length:
- Usage:
- Highlight:

170-180°C

China

Ciyu

MSDS,TDS

Ciyu10001

USD4300/500KG

6,000 kgs per day

Carton+Pallet

10-15days

Cold Water Soluble Film, Water Soluble Film

- Polyvinyl Alcohol(PVA)
- 1000-2000mm
- 500-1500m
- Release Film
- 1500m Cold Water Soluble PVA Film , 45Mu Water Soluble Release Film , 1500m Water Soluble Film




More Images



1500m Polyvinyl Alcohol Cold Water Soluble PVA Film

PVA film is a new type of special function resin film material. The product is formed with water-soluble PVA as film substrate, adding auxiliary materials like plasticizer, soften agent, surface acting agent and dispersing agent, then finally finished thorough specific film-forming technology process.





Main Characteristics of PVA film products: 1. Water solubility. (Efficient water-soluble soft package material / Water-soluble liner film) 2. High barrier property. (Oxygen barrier; Antibacterial)

Main specification and parameters

Category	parameter		Remark
Thickness	25Mu~45Mu		
Width	1000mm~2000mm		
Length	Regular standard: 1000m Max length: 1500m		Refer to products with 40Mu thickness
Weight	Around 65kg per roll		Refer to products with 40Mu thickness and 1200m length
Paper tube	3 inches		
Transmittance	80°~90°(%)		
Maxum temperature endurance	170ºC-180ºC		
Water soluble temperature	Normal	Under indoor Temperature	Solution rate is in proportion to water temperature.
	Medium	Over 40ºC	



PRODUCT PACKAGE

庌 晞于新材料 CiYu Polymer

Film Package








②Waterproof Package (Aluminum Foil+PE bag)



3Carton Package



④Palletizing



Luoxi Town, Changzhou City, Jiangsu Province, China