

# Environment Friendly Plastic PVA Water Soluble Release Film

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10Rolls
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



## **Product Specification**

- Working Temperature:
- High Light:
- Material:
- Usage:
- Highlight:
- 170-180°C

China

Ciyu

FDA,SGS, TDS

US \$0.32-0.80/ Square Meter

Ciyu10001

Carton+Pallet

6,000 kgs per day

10-15days

Cold Water Soluble Film, Water Soluble Film

- Polyvinyl Alcohol(PVA)
- Release Film
  - 45Mu PVA Water Soluble Release Film, Plastic Water Soluble Release Film, 45Mu Cold Water Soluble Film



#### More Images





# 100% Environment Friendly Marble Release Water Soluble Plastic Film

**PVA film** is a new type of special function resin film material. The product is formed with water-soluble PVA as film substrate, adding auxiliary materials like plasticizer, soften agent, surface acting agent and dispersing agent, then finally finished thorough specific film-forming technology process.

#### Main Characteristics of PVA film products:

1. Water solubility. (Efficient water-soluble soft package material / Water-soluble liner film )

2. High barrier property. (Oxygen barrier; Antibacterial)

#### Main specification and parameters

Category	parameter		Remark
Thickness	25Mu~45Mu		
Width	1000mm~2000mm		
Length	Regular standard: 1000m Max length: 1500m		Refer to products with 40Mu thickness
Weight			Refer to products with 40Mu thickness and 1200m length
Paper tube	3 inches		
Transmittance	80°~90°(%)		
Maxum temperature endurance	170ºC-180ºC		
Water soluble temperature	Normal	Under indoor Temperature	Solution rate is in proportion to
	Medium	Over 40ºC	water temperature.
	High	Over 80ºC	_
Output	Delivery 7~10 days after ordered(normal standard and quantity)		





