

Blow Molding 60Mu Cold Water Soluble Packaging Film

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10Rolls
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T

China

Ciyu

SGS,MSDS

Ciyu20001

Carton+Pallet

6,000 kgs per day

10-15days

USD0.50-USD1.00/M

Supply Ability:




Product Specification

- Processing Type:
- Material:
- Feature:
- Type:
- Application:
- High Light:
- Highlight:

- Blow Molding Polyvinyl Alcohol(PVA)
- Water Soluble
- Release Film
- Package
 - Water Soluble Film, Polyvinyl Alcohol Film
- 60Mu Water Soluble Packaging Film, 60Mu Water Soluble Film, blow molding water soluble pva film



More Images





Product Description

for more products please visit us on pvawatersolublebag.com

pva water transfer printing film/Cold water soluble PVA film / PVA film PVA Material cold water soluble film/pva water transfer printing film

PVA Material cold water soluble film/pva water transfer printing film

(1) pesticides, chemical products lining inner packing bags. Can avoid touching pesticides and chemical products, no pesticide residues in the plastic bags;

(2) the cement additives (silicon powder, etc.) bag. Avoid dust is bad for the environment;

- (3) the embroidery, the wig fabric such as carrier. Against the carrier, easy to clean;
- (4) large artificial stone mold release membrane. Within the type membrane mat water soluble film, can quick demoulding;
- (5) surface printing (water transfer printing). After printing on the film can be transfer to the surface;
- (6) seeds. The seeds according to the fixed interval packaged buried again, save precious seeds, will save the busy for thinning;
- (7) hospital washing bags. No contact with contaminated clothing can also be clean;
- (8) hot water soluble film used clothing packaging;

(9) and other plastic composite can be used for packaging for food and air cushion bag.

Description	Cold water soluble PVA film
Material	100% PVA, New material((polyvinyl alcohol)
color	Transparent (White)
Processing type:	Casting
Product type:	release film ,Plain(gross) or embossed
Usage	embroidery backing or packing
Place of origin	Liaoning province, China(mainland)
Soluble time:	5-10s
Soluble temperature:	Above 0
dissolve leaving	None, Recyclable
Hardness	soft
Thickness(Mu or micron)	25Mu ,30Mu,35Mu ,40Mu ,45Mu ,50Mu,55Mu,60Mu
Weight	25gsm,30gsm,35gsm,40gsm,45gsm,50gsm,55gsm,60gsm
Width	20cm,50cm,100cm,160cm(40"-60")or customized
Length of roll	100mts,200mtrs,500mts,or by request
Supply Ability:	1,000,000 square meters
Production lead time	10-15days after received advance payment for one 20FT container,
Payment term	30%T/T in advance, others against B/L copy
Packaging Detail	1 roll in polybag,2rolls per carton, or as requested
Attention	avoid moisture



GWB于环保新材料 CiYu Polymer Material (Changzhou) CO.,LTD

Luoxi Town, Changzhou City, Jiangsu Province, China