

## Marble Release Water Soluble 50μm 25 Pva Film Roll

Our Product Introduction

for more products please visit us on [pvawatersolublebag.com](http://pvawatersolublebag.com)

### Basic Information

- Place of Origin: China
- Brand Name: Ciyu
- Certification: MSDS, TDS
- Model Number: Ciyu10001
- Minimum Order Quantity: 15rolls
- Price: USD4300/500KG
- Packaging Details: Carton+Pallet
- Delivery Time: 10-15days
- Payment Terms: L/C,T/T
- Supply Ability: 6,000 kgs per day



### Product Specification

- Material: Polyvinyl Alcohol(PVA)
- High Light: Cold Water Soluble Film, Water Soluble Film
- Thickness: 25-45microns
- Length: 500-1500m/roll
- Usage: Release Film
- Highlight: **Cold Water PVA Release Film, 1500m/Roll PVA Release Film, 45 Microns PVA Cold Water Film**



### More Images



## Product Description


### Marble Release Water Soluble 50μm 25 Pva Film Roll

**PVA film** is a new type of special function resin film material. The product is formed with water-soluble PVA as film substrate, adding auxiliary materials like plasticizer, soften agent, surface acting agent and dispersing agent, then finally finished thorough specific film-forming technology process.



#### Main Characteristics of PVA film products:

1. Water solubility. (Efficient water-soluble soft package material / Water-soluble liner film )
2. High barrier property. (Oxygen barrier; Antibacterial)



## Film Package



① Batching



② Waterproof Package  
(Aluminum Foil+PE bag)



③ Carton Package



④ Palletizing

### Main specification and parameters

Category	parameter		Remark
Thickness	25μm~45μm		
Width	1000mm~2000mm		
Length	Regular standard: 1000m Max length: 1500m		Refer to products with 40μm thickness
Weight	Around 65kg per roll		Refer to products with 40μm thickness and 1200m length
Paper tube	3 inches		
Transmittance	80°~90°(%)		
Maxum temperature endurance	170°C-180°C		
Water soluble temperature	Normal	Under indoor Temperature	Solution rate is in proportion to water temperature.
	Medium	Over 40°C	
	High	Over 80°C	
Output	Delivery 7~10 days after ordered(normal standard and quantity)		



