

China Professional Water Soluble Release Film For Artificial Marble Release

Basic Information

- Place of Origin:
- Brand Name:
- Certification: TDS,MSDS
- Model Number:
- Minimum Order Quantity: 15rolls
- Price: USD4300/500KG

China

Ciyu

Ciyu10001

Carton+Pallet

6,000 kgs per day

10-15days

- Packaging Details:
- Delivery Time:
- Payment Terms: L/C,T/T
- Supply Ability:



Product Specification

- Material:
- Working Temperature:
- Usage:
- High Light:
- Thickness:
- Length:Highlight:

Release Film
Cold Water Soluble Film, Water Soluble Film

Polyvinyl Alcohol(PVA)

25-45microns

170-180°C

- 500-1500m/roll
- PVA Water Soluble Release Film 1100mm, 45microns Water Soluble Release Film, Artificial Marble PVA Release Film



More Images






China Professional Water Soluble Release Film For Artificial Marble Release

PVA film is a new type of special function resin film material. The product is formed with water-soluble PVA as film substrate, adding auxiliary materials like plasticizer, soften agent, surface acting agent and dispersing agent, then finally finished thorough specific film-forming technology process.

Main Characteristics of PVA film products:


1. Water solubility. (Efficient water-soluble soft package material / Water-soluble liner film) 2. High barrier property. (Oxygen barrier; Antibacterial)






Main specification and parameters

Category	parameter		Remark
Thickness	25µm~45µm		
Width	1000mm~2000mm		
Length	Regular standard: 1000m Max length: 1500m		Refer to products with 40µm thickness
Weight	Around 65kg per roll		Refer to products with 40µm thickness and 1200m length
Paper tube	3 inches		
Transmittance	80°~90°(%)		
Maxum temperature endurance	170ºC-180ºC		
Water soluble temperature	Normal Temp Type Medium Temp Type High Temp	Temperature	Solution rate is in proportion to water temperature.
	Туре		





Luoxi Town, Changzhou City, Jiangsu Province, China