

Environmental Friendly PVA Water Soluble Release Film for Artificial Marble

Basic Information

Place of Origin: ChinaBrand Name: Ciyu

Certification: MSDS,TDS
 Model Number: Ciyu10001
 Minimum Order Quantity: 15rolls

Price: USD4300/500KG
Packaging Details: Carton+Pallet
Delivery Time: 10-15days
Payment Terms: L/C,T/T

Supply Ability: 6,000 kgs per day



Product Specification

Material: PVA

Usage: Packaging FilmWidth: 50-160cm

• High Light: Biodegradable Film, Plastic Film Roll

Type: Stretch FilmThickness: 25-80micronsLength: 500-1500m

• Highlight: Plastic PLA Packaging Film 160cm,

PLA Packaging Film 80 Microns,

Biodegradable PVA Water Soluble Release Film



More Images



Product Description

Environmental Friendly PVA Water Soluble Release Film for Artificial Marble


Polylactic acid, also known as polylactide, belongs to the polyester family. Polylactic acid is a polymer obtained by polymerizing lactic acid as a main raw material. The raw material source is sufficient and can be regenerated, and corn, cassava and the like are mainly used as raw materials. The production process of polylactic acid is non-polluting, and the product can be biodegraded to achieve circulation in nature, so it is an ideal green polymer material.



Polylactic acid has good thermal stability, processing temperature of 170~230 °C, good solvent resistance, and can be processed in various ways, such as extrusion. Spinning, biaxial stretching, injection blow molding. Products made from polylactic acid are biodegradable, Biocompatibility, Gloss, transparency, feel and Heat resistance Good, it also has certain bacteria resistance, flame retardancy and UV resistance, so it is widely used, and can be used as packaging materials, fibers and nonwovens. It is mainly used in

clothing (underwear, outerwear), industry (construction)., agriculture, forestry, papermaking, and health care.

Product introduction Bopla polylactic acid film is made of bio-based materials through special production process; it is divided into ordinary, heat-sealed, high-barrier and other products, suitable for various environmentally-friendly degradable materials.



The main purpose

Products are mainly used in the processing of packaging, electronics and other fields.

Performance characteristics

- Excellent printability Excellent transparency Uniform thickness
- Smooth and smooth surface Good mechanical adaptability

Standard

Thickness:20-120micron

Length:500-2000m

Cutting width: according to customer needs

Core diameter: 76.2mm





Film Package



1Batching



②Waterproof Package (Aluminum Foil+PE bag)



3Carton Package



4Palletizing





一 略于环保新材料 CiYu Polymer Material (Changzhou) CO.,LTD

+8615380057551

daisy@ciyupolymer.com



Luoxi Town, Changzhou City, Jiangsu Province, China