

## Biodegradable PVOH Film for Mold-Releasing PVOH film

### Our Product Introduction

for more products please visit us on [pvawatersolublebag.com](http://pvawatersolublebag.com)


#### Basic Information

- Place of Origin: China
- Brand Name: Ciyu
- Certification: TDS,MSDS
- Model Number: Ciyu10001
- Minimum Order Quantity: 15rolls
- Price: USD4300/500KG
- Packaging Details: Carton+Pallet
- Delivery Time: 10-15days
- Payment Terms: L/C,T/T
- Supply Ability: 6,000 kgs per day




#### Product Specification

- Working Temperature: 170-180°C
- High Light: Water Soluble Film, Polyvinyl Alcohol Film
- Thickness: 25-45microns
- Length: 500-1500m/roll
- Usage: Release Film
- Material: Polyvinyl Alcohol(PVA)
- Width: 1000-2000mm
- Highlight: **Water Soluble Release Film 45microns, Artificial Marble Water Soluble Release Film, Pva Artificial Marble Release Film**



#### More Images



## Product Description

### Biodegradable PVOH Film for Mold-Releasing PVOH film

**PVA film** is a new type of special function resin film material. The product is formed with water-soluble PVA as film substrate, adding auxiliary materials like plasticizer, softener agent, surface acting agent and dispersing agent, then finally finished thorough specific film-forming technology process.




**Main Characteristics of PVA film products:**

1. High barrier property. (Oxygen barrier; Antibacterial)
2. Water solubility. (Efficient water-soluble soft package material / Water-soluble liner film )

**Main specification and parameters**

Category	parameter		Remark
Thickness	25μm~45μm		
Width	1000mm~2000mm		
Length	Regular standard: 1000m Max length: 1500m		Refer to products with 40μm thickness
Weight	Around 65kg per roll		Refer to products with 40μm thickness and 1200m length
Paper tube	3 inches		
Transmittance	80°~90°(%)		
Maxum temperature endurance	170°C-180°C		
Water soluble temperature	Normal	Under indoor Temperature	Solution rate is in proportion to water temperature.
	Medium	Over 40°C	
	High	Over 80°C	
Output	Delivery 7~10 days after ordered(normal standard and quantity)		

□



• ENTERPRISES CERTIFICATES



**CiYu Polymer Material (Changzhou) CO.,LTD**

+8615380057551

daisy@ciyupolymer.com

pvwatersolublebag.com

Luoxi Town, Changzhou City, Jiangsu Province, China